Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS SURVEILLANCE

SEPTEMBER 2016

MONTHLY HIV/AIDS SURVEILLANCE REPORT

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC).

AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

AIDS cases by year of report and gender (Excluding DOC)

Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric AIDS cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet)

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)

HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

HIV (not AIDS) cases by year of report and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott

Governor

Celeste Philip, MD, MPH

Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2016.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015 (PLWHA Worksheet)

Total prevalence by diagnosis category (Excluding DOC)

Total living cases including Department of Corrections [DOC]

Total prevalence by gender (Excluding DOC)

Total prevalence by race/ethnicity (Excluding DOC)

Total prevalence by current age group (Excluding DOC)

Total prevalence by exposure category (Excluding DOC)

ONE-IN STATEMENTS (ONE-IN STATEMENTS Worksheet)

One-in statements for adult (>=13) persons living with HIV or AIDS through 2015 in Miami-Dade & Florida.

One-in statements for persons (all ages) living with HIV or AIDS through 2015 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

Fiorida Department of Health

In Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533
FloridaHealth.gov



SEPTEMBER 2016

Cumulative Number of Reported AIDS Cases

AIDS Cases by age group and	gender (Ex	cluding E	epartment)	of Correc	tion - DOC	;)	AIDS	Cases by a	age group,	race/ethn	icity & gen	der, show	ring Haitia	ns separat	ted (Exclud	ling DOC)		
AIDS Cases by	Female	е	Male		TOTAL	AIDS	Hispanic/	Latino	Black		White		Haitia	n	Other (1	1)	TOTAL	AIDS
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	168	151	5	7	6	8	2	1	210	196
5-12	53	0.5%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	136	0.5%	307	0.9%	20	42	127	85	5	2	15	6	4	1	171	136
20-29	1,736	18.0%	3,285	12.4%	5,021	13.9%	285	1,423	1,117	1,049	77	503	238	262	19	48	1,736	3,285
30-39	3,322	34.4%	9,571	36.2%	12,893	35.7%	544	4,152	2,010	2,698	165	1,671	560	896	43	154	3,322	9,571
40-49	2,488	25.8%	7,898	29.9%	10,386	28.8%	463	3,222	1,431	2,534	131	1,256	421	773	42	113	2,488	7,898
50-59	1,125	11.7%	3,672	13.9%	4,797	13.3%	247	1,489	579	1,262	56	485	218	379	25	57	1,125	3,672
60-64	277	2.9%	874	3.3%	1,151	3.2%	69	339	126	321	10	113	67	85	5	16	277	874
65-69	149	1.5%	439	1.7%	588	1.6%	30	152	77	177	5	58	34	43	3	9	149	439
>=70	113	1.2%	326	1.2%	439	1.2%	33	129	47	119	12	36	17	33	4	9	113	326
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,644	100%	26,452	100%	36,096	100%	1,730	10,988	5,715	8,432	470	4,133	1,581	2,490	148	409	9,644	26,452

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by	Femal	е	Male		TOTAL A	IDS
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	22.6%	31	81.6%	38	0.1%
1983	16	19.5%	82	83.7%	98	0.3%
1984	18	13.5%	133	88.1%	151	0.4%
1985	29	18.0%	161	84.7%	190	0.5%
1986	71	21.6%	329	82.3%	400	1.1%
1987	63	15.6%	405	86.5%	468	1.3%
1988	109	19.7%	554	83.6%	663	1.8%
1989	195	24.9%	784	80.1%	979	2.7%
1990	171	23.4%	730	81.0%	901	2.5%
1991	362	23.6%	1,536	80.9%	1,898	5.3%
1992	304	25.7%	1,185	79.6%	1,489	4.1%
1993	443	26.4%	1,680	79.1%	2,123	5.9%
1994	748	31.0%	2,414	76.3%	3,162	8.8%
1995	668	38.8%	1,723	72.1%	2,391	6.6%
1996	579	37.1%	1,560	72.9%	2,139	5.9%
1997	432	39.5%	1,093	71.7%	1,525	4.2%
1998	475	46.1%	1,030	68.4%	1,505	4.2%
1999	356	40.9%	870	71.0%	1,226	3.4%

AIDS Cases by	Femal	е	Male		TOTAL A	AIDS
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2000	379	46.5%	815	68.3%	1,194	3.3%
2001	372	48.7%	764	67.3%	1,136	3.1%
2002	323	40.9%	789	71.0%	1,112	3.1%
2003	304	42.8%	710	70.0%	1,014	2.8%
2004	409	46.0%	890	68.5%	1,299	3.6%
2005	392	49.6%	790	66.8%	1,182	3.3%
2006	396	53.9%	735	65.0%	1,131	3.1%
2007	275	53.1%	518	65.3%	793	2.2%
2008	324	45.1%	719	68.9%	1,043	2.9%
2009	255	44.5%	573	69.2%	828	2.3%
2010	199	43.4%	458	69.7%	657	1.8%
2011	233	48.9%	476	67.1%	709	2.0%
2012	158	36.0%	439	73.5%	597	1.7%
2013	189	40.3%	469	71.3%	658	1.8%
2014	145	39.7%	365	71.6%	510	1.4%
2015	146	45.3%	322	68.8%	468	1.3%
2016	99	31.3%	316	76.1%	415	1.1%
Total Adult AIDS	9,644	36.5%	26,452	73.3%	36,096	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

Cumulative Number of Reported AIDS Cases

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

			Adult AID	S	_				Pediati	ic AIDS					TOTAL AI	DS CASES	S	
AIDS by Race/	Female	е	Male		Total Ad	ult	Female	е	Male		Total Ped	iatric	Total Fer	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,707	18.2%	10,976	41.9%	12,683	35.6%	39	14.8%	40	15.9%	79	15.4%	1,746	18.1%	11,016	41.6%	12,762	35.4%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	23	0.1%	25	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	23	0.1%	25	0.1%
Black or African American	7,048	75.1%	10,669	40.7%	17,717	49.8%	212	80.6%	200	79.7%	412	80.2%	7,260	75.3%	10,869	41.1%	18,129	50.2%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	461	4.9%	4,128	15.8%	4,589	12.9%	9	3.4%	9	3.6%	18	3.5%	470	4.9%	4,137	15.6%	4,607	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	390	1.5%	549	1.5%	3	1.1%	2	0.8%	5	1.0%	162	1.7%	392	1.5%	554	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,381	100%	26,201	100%	35,582	100%	263	100%	251	100%	514	100%	9,644	100%	26,452	100%	36,096	100%

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult AID	S		
	Femal	е	Male		Total Ad	ult
Exposure Category among adult AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,642	55.9%	14,642	41.2%
Adult injection drug use [IDU]	2,063	22.0%	3,197	12.2%	5,260	14.8%
Adult MSM & IDU	0		1,411	5.4%	1,411	4.0%
Adult heterosexual contact [HTRSX]	6,289	67.0%	4,170	15.9%	10,459	29.4%
Adult other risk*	170	1.8%	193	0.7%	363	1.0%
Adult no risk factor reported [NRR]	859	9.2%	2,588	9.9%	3,447	9.7%
Total adult AIDS	9,381	100%	26,201	100%	35,582	100%

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	AIDS		
	Femal	е	Male		Total Pedi	iatric
Exposure Category among Pediatric AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	263	100%	251	100%	514	100%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
	MALE-TO-	-MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	EXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	FEMAL	.E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			249	12.1%			1,309	20.8%	33	19.4%	116	13.5%	1,707	18.2%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,563	75.8%			4,666	74.2%	118	69.4%	701	81.6%	7,048	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			206	10.0%			209	3.3%	14	8.2%	32	3.7%	461	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			45	2.2%			99	1.6%	5	2.9%	10	1.2%	159	1.7%
Adult Female AIDS			2,063	100%			6,289	100%	170	100%	859	100%	9,381	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	MALE-TO-	MALE	INJECT	ION	MSM &	IDU	HETEROS	EXUAL	OTHER	2*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	8,023	54.8%	710	22.2%	506	35.9%	1,060	25.4%	61	31.6%	616	23.8%	10,976	41.9%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	16	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	23	0.1%
Black or African American	3,058	20.9%	2,198	68.8%	603	42.7%	2,935	70.4%	83	43.0%	1,792	69.2%	10,669	40.7%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,317	22.7%	239	7.5%	275	19.5%	103	2.5%	45	5.0%	149	5.8%	4,128	15.8%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	221	1.5%	49	1.5%	27	1.9%	64	1.5%	4	2.1%	25	1.0%	390	1.5%
Adult Male AIDS	14,642	100%	3,197	100%	1,411	100%	4,170	100%	193	82%	2,588	100%	26,201	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,642	41.2%	5,260	14.8%	1.411	4.0%	10,459	29.4%	363	1.0%	3,447	9.7%	35,582	100%

(Continue next Page)

AIDS / 2016-09 5 of 23

SEPTEMBER 2016

Cumulative Number of Reported AIDS Cases

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CA							I					
Exposure Category/	PERINA	ΓAL	HEMOPH	LIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%
Black or African American	211	81.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.6%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	3	1.2%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	3	1.1%
Pediatric Female AIDS	260	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	263	100%

Exposure Category/	PERINAT	ΓAL	НЕМОРН	ILIAC	TRANSFU	SION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%

1.4%

0.2%

0.6%

100%

514

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

503 97.9%

TOTAL PEDIATRIC AIDS

Country	ADUL	T FEMALE	AIDS	ADU	LT MALE	AIDS	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.6%	167	1.5%	87.4%	191	1.5%	100%
Brazil	12	0.7%	8.7%	126	1.1%	91.3%	138	1.1%	100%
Colombia	73	4.3%	12.4%	516	4.7%	87.6%	589	4.6%	100%
Cuba	410	24.0%	7.8%	4,875	44.4%	92.2%	5,285	41.7%	100%
Dominican Republic	74	4.3%	31.8%	159	1.4%	68.2%	233	1.8%	100%
Guatemala	20	1.2%	16.0%	105	1.0%	84.0%	125	1.0%	100%
Honduras	139	8.1%	29.4%	333	3.0%	70.6%	472	3.7%	100%
Mexico	21	1.2%	7.9%	244	2.2%	92.1%	265	2.1%	100%
Nicaragua	83	4.9%	18.3%	371	3.4%	81.7%	454	3.6%	100%
Peru	26	1.5%	13.1%	172	1.6%	86.9%	198	1.6%	100%
Puerto Rico	188	11.0%	17.5%	884	8.1%	82.5%	1,072	8.5%	100%
United States	402	23.6%	20.8%	1,527	13.9%	79.2%	1,929	15.2%	100%
Venezuela	17	1.0%	6.0%	268	2.4%	94.0%	285	2.2%	100%
Other/Unknown Countries	218	12.8%	15.1%	1,229	11.2%	84.9%	1,447	11.4%	100%
Total Adult Hispanic/Latino	1,707	100%	13.5%	10,976	100%	86.5%	12,683	100%	100%

0.0%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

SEPTEMBER 2016

Cumulative Number of Reported AIDS Cases

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO-N		INJEC	-	MSM &	IDU	HETEROS	-	OTHER		NO REPO			panic/Latin	
Country of Origin	SEXUAL CO		DRUG US				CONTA		RISK		RISK [N	-		ountry of O	
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Brazil			2	16.7%			10	83.3%	0	0.0%	0	0.0%	12	0.7%	100%
Colombia			8	11.0%			54	74.0%	2	2.7%	9	12.3%	73	4.3%	100%
Cuba			55	13.4%			307	74.9%	8	2.0%	40	9.8%	410	24.0%	1009
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.3%	100
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100
Honduras			8	5.8%			123	88.5%	1	0.7%	7	5.0%	139	8.1%	100
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100
Nicaragua			5	6.0%			67	80.7%	1	1.2%	10	12.0%	83	4.9%	100
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.5%	100
Puerto Rico			50	26.6%			126	67.0%	3	1.6%	9	4.8%	188	11.0%	100
United States			85	21.1%			286	71.1%	15	3.7%	16	4.0%	402	23.6%	100
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100
			23	10.6%			178	81.7%	2	0.9%	15	6.9%	218	12.8%	100
Other/Unknown Countries			23	10.070								0.070			
Other/Unknown Countries Fotal adult Hispanic/Latino Fema	ile		249				1,309		33	1.9%	116	6.8%	1,707	100%	1009
		ASES							33				1,707		1009
Total adult Hispanic/Latino Fema				14.6%	MSM &	IDU		76.7%	33 OTHER	1.9%		6.8%	, -		
Total adult Hispanic/Latino Fema	ALE AIDS CA	MALE ONTACT	INJECT DRUG US	14.6%			1,309 HETEROS CONTA	76.7% SEXUAL	OTHER RISK	1.9%	116 NO REPO RISK [N	6.8% RTED IRR]	Total Hi	100% ispanic/Lati	ino Male Prigin
Total adult Hispanic/Latino Fema	ALE AIDS C	MALE	249	14.6% TION	MSM &	IDU Row %	1,309 HETEROS	76.7% SEXUAL	OTHER	1.9%	116 NO REPO	6.8%	Total Hi	100%	ino Male
Total adult Hispanic/Latino Fema	ALE AIDS CA	MALE ONTACT	INJECT DRUG US	14.6%			1,309 HETEROS CONTA	76.7% SEXUAL	OTHER RISK	1.9%	116 NO REPO RISK [N	6.8% RTED IRR]	Total Hi	100% ispanic/Lati	no Male
Total adult Hispanic/Latino Fema ADULT HISPANIC/LATINO M Country of Origin Argentina	ALE AIDS C. MALE-TO-N SEXUAL CO Cases	MALE ONTACT Row %	INJECT DRUG US	14.6% TION EE [IDU] Row %	Cases	Row %	1,309 HETEROS CONTA Cases	76.7% SEXUAL CT Row %	OTHER RISK	1.9% R*	116 NO REPO RISK [N	6.8% RTED IRR] Row %	Total Hi by C Cases	100% ispanic/Lati ountry of O Col %	no Male Prigin Row 100
Total adult Hispanic/Latino Fema ADULT HISPANIC/LATINO M Country of Origin	ALE AIDS C. MALE-TO-N SEXUAL CC Cases 139	NALE ONTACT Row % 83.2%	INJECT DRUG US Cases	14.6% FION EE [IDU] Row % 2.4% 5.6%	Cases 7	Row % 4.2%	1,309 HETEROS CONTA Cases 14	76.7% SEXUAL CT Row % 8.4%	OTHER RISK Cases	1.9% Row %	NO REPO RISK [N Cases	6.8% RTED IRR] Row %	Total Hi by C Cases	spanic/Lati ountry of O Col %	no Male Prigin Row 100
Total adult Hispanic/Latino Fema ADULT HISPANIC/LATINO M Country of Origin Argentina Brazil Colombia	MALE-TO-N SEXUAL CO Cases 139	NALE ONTACT Row % 83.2% 82.5%	INJECT DRUG US Cases 4	14.6% FION EE [IDU] Row % 2.4% 5.6%	Cases 7	Row % 4.2% 4.0%	HETEROS CONTA Cases 14	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9%	OTHER RISK Cases	1.9% Row % 0.0% 1.6%	NO REPO RISK [N Cases 3	6.8% RTED IRR] Row % 1.8% 1.6%	Total Hiby C Cases 167	ispanic/Lati ountry of O Col % 1.5% 1.1%	ino Male Prigin Row
Total adult Hispanic/Latino Fema ADULT HISPANIC/LATINO M Country of Origin Argentina Brazil	MALE-TO-M SEXUAL CO Cases 139 104 419	NALE DNTACT Row % 83.2% 82.5% 81.2%	INJECTORUG US Cases 4 7	14.6% FION E [IDU] Row % 2.4% 5.6% 2.9%	Cases 7 5	Row % 4.2% 4.0% 3.5%	HETEROS CONTA Cases 14 6	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1%	OTHER RISK Cases 0 2	1.9% Row % 0.0% 1.6% 0.6%	NO REPO RISK [N Cases 3 2	6.8% RTED IRR] Row % 1.8% 1.6% 3.9%	Total Hi by C Cases 167 126 516	spanic/Lati ountry of O Col % 1.5% 1.1% 4.7%	no Make Prigin Row 100
Total adult Hispanic/Latino Fema ADULT HISPANIC/LATINO M Country of Origin Argentina Brazil Colombia Cuba	MALE-TO-M SEXUAL CO Cases 139 104 419 3,773	MALE ONTACT Row % 83.2% 82.5% 81.2% 77.4%	INJECTORUG US Cases 4 7 15 212	14.6% FION E [IDU] Row % 2.4% 5.6% 2.9% 4.3%	Cases 7 5 18	Row % 4.2% 4.0% 3.5% 4.0%	1,309 HETEROS CONTA Cases 14 6 41 396	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1%	OTHER RISK Cases 0 2	1.9% Row % 0.0% 1.6% 0.6% 0.5%	NO REPO RISK [N Cases 3 2 20 273	6.8% RTED IRR] Row % 1.8% 1.6% 3.9% 5.6%	Total Hi by C Cases 167 126 516 4,875	100% spanic/Lati ountry of O Col % 1.5% 1.1% 4.7% 44.4%	no Male Prigin Row 100 100
Argentina Brazil Colombia Cuba Dominican Republic	MALE AIDS C. MALE-TO-M SEXUAL CC Cases 139 104 419 3,773 86	MALE ONTACT Row % 83.2% 82.5% 81.2% 77.4% 54.1%	INJECT DRUG US Cases 4 7 15 212	14.6% TION E [IDU] Row % 2.4% 5.6% 2.9% 4.3% 5.0% 4.8%	7 5 18 195 6	Row % 4.2% 4.0% 3.5% 4.0% 3.8%	1,309 HETEROS CONTA Cases 14 6 41 396 43	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1% 27.0% 27.6%	OTHER RISK Cases 0 2 3 26	1.9% Row % 0.0% 1.6% 0.5% 0.6%	NO REPO RISK [N Cases 3 2 20 273	6.8% RTED IRR] Row % 1.8% 1.6% 3.9% 5.6% 9.4%	Total Hi by C Cases 167 126 516 4,875	100% Ispanic/Latiountry of O Col % 1.5% 1.1% 4.7% 44.4% 1.4%	no Male Prigin Row 100 100 100 100
Argentina Brazil Colombia Country of Origin Argentina Brazil Colombia Cuba Dominican Republic Guatemala	MALE AIDS C. MALE-TO-M SEXUAL CC Cases 139 104 419 3,773 86 57	MALE DNTACT Row % 83.2% 82.5% 81.2% 77.4% 54.1% 54.3%	INJEC DRUG US Cases 4 7 15 212 8 5	14.6% TION E [IDU] Row % 2.4% 5.6% 2.9% 4.3% 5.0% 4.8%	7 5 18 195 6 2	Row % 4.2% 4.0% 3.5% 4.0% 3.8% 1.9%	1,309 HETEROS CONTA Cases 14 6 41 396 43 29	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1% 27.0% 27.6%	OTHER RISK Cases 0 2 3 26 1	1.9% Row % 0.0% 1.6% 0.6% 0.6% 0.6% 0.0%	NO REPO RISK [N Cases 3 2 20 273 15	6.8% RTED IRR] Row % 1.8% 1.6% 3.9% 5.6% 9.4% 11.4%	Total Hi by C Cases 167 126 516 4,875 159	100% (spanic/Latiountry of O Col % 1.5% 1.1% 4.7% 44.4% 1.4% 1.0%	no Male Prigin Row 100 100 100
Country of Origin Argentina Brazil Colombia Cuba Dominican Republic Guatemala Honduras	MALE-TO-M SEXUAL CC Cases 139 104 419 3,773 86 57 213	MALE DNTACT Row % 83.2% 82.5% 81.2% 77.4% 54.1% 54.3% 64.0%	INJECT DRUG US Cases 4 7 15 212 8 5 18	14.6% FION E [IDU] Row % 2.4% 5.6% 2.9% 4.3% 5.0% 4.8% 5.4% 4.5%	7 5 18 195 6 2	Row % 4.2% 4.0% 3.5% 4.0% 3.8% 1.9% 1.8%	1,309 HETEROS CONTA Cases 14 6 41 396 43 29 70	76.7% SEXUAL CT Row % 4.8% 7.9% 8.1% 27.0% 27.6% 21.0%	OTHER RISK Cases 0 2 3 26 1 0	1.9% Row % 0.0% 1.6% 0.6% 0.5% 0.0% 1.2%	116 NO REPO RISK [N Cases 3 2 20 273 15 12 22	6.8% RTED IRR] Row % 1.6% 3.9% 5.6% 9.4% 11.4% 6.6%	Total Hi by C Cases 167 126 516 4,875 159 105 333	100%	no Male Prigin Row 100 100 100 100 100
Country of Origin Argentina Brazil Colombia Cuba Dominican Republic Guatemala Honduras Mexico	MALE-TO-M SEXUAL CC Cases 139 104 419 3,773 86 57 213	MALE DNTACT Row % 83.2% 82.5% 81.2% 77.4% 54.1% 54.3% 64.0% 68.0%	INJEC DRUG US Cases 4 7 15 212 8 5 18 11	14.6% FION E [IDU] Row % 2.4% 5.6% 2.9% 4.3% 5.0% 4.8% 5.4% 4.5%	7 5 18 195 6 2 6 7	Row % 4.2% 4.0% 3.5% 4.0% 3.8% 1.9% 1.8% 2.9%	1,309 HETEROS CONTA Cases 14 6 41 396 43 29 70 41	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1% 27.0% 21.0% 16.8% 14.6%	OTHER RISK Cases 0 2 3 26 1 0	1.9% Row % 0.0% 1.6% 0.6% 0.5% 0.6% 0.0% 1.2% 0.0%	116 NO REPO RISK [N Cases 3 2 20 273 15 12 22 19	6.8% RTED IRR] Row % 1.6% 3.9% 5.6% 9.4% 11.4% 6.6% 7.8%	Total Hi by C Cases 167 126 516 4,875 159 105 333 244	100% Ispanic/Latiountry of OCOI % 1.5% 1.1% 4.7% 44.4% 1.0% 3.0% 2.2%	no Malerigin Row 100 100 100 100 100 100 100 100 100
Country of Origin Argentina Brazil Colombia Cominican Republic Guatemala Honduras Mexico Vicaragua	MALE-TO-M SEXUAL CC Cases 139 104 419 3,773 86 57 213 166 272	MALE DNTACT Row % 83.2% 82.5% 81.2% 77.4% 54.1% 54.3% 64.0% 68.0% 73.3%	INJECT DRUG US Cases 4 7 15 212 8 5 18 11 10	14.6% TION E [IDU] Row % 2.4% 5.6% 2.9% 4.3% 5.0% 4.8% 5.4% 4.5% 2.7% 1.2%	7 5 18 195 6 2 6 7 13	Row % 4.2% 4.0% 3.5% 4.0% 3.8% 1.9% 1.8% 2.9% 3.5%	1,309 HETEROS CONTA Cases 14 6 41 396 43 29 70 41 54	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1% 27.0% 21.0% 16.8% 14.6%	OTHER RISK Cases 0 2 3 26 1 0 4	1.9% Row % 0.0% 1.6% 0.6% 0.5% 0.0% 1.2% 0.0% 0.3%	116 NO REPO RISK [N Cases 3 2 20 273 15 12 22 19 21	6.8% RTED IRR] Row % 1.8% 1.6% 3.9% 5.6% 9.4% 11.4% 6.6% 7.8% 5.7%	Total Hi by C Cases 167 126 516 4,875 159 105 333 244 371	100% Ispanic/Latiountry of O Col % 1.5% 1.1% 4.7% 44.4% 1.0% 3.0% 2.2% 3.4%	100 100 100 100 100 100 100 100 100
Country of Origin Argentina Brazil Colombia Cominican Republic Guatemala Honduras Mexico Nicaragua Peru Puerto Rico	MALE-TO-M SEXUAL CC Cases 139 104 419 3,773 86 57 213 166 272 138	MALE DNTACT Row % 83.2% 82.5% 81.2% 77.4% 54.1% 54.3% 64.0% 68.0% 73.3% 80.2%	INJEC DRUG US Cases 4 7 15 212 8 5 18 11 10 2	14.6% TION E [IDU] Row % 2.4% 5.6% 2.9% 4.3% 5.0% 4.8% 5.4% 4.5% 2.7% 1.2%	7 5 18 195 6 2 6 7 13 2 2	Row % 4.2% 4.0% 3.5% 4.0% 3.8% 1.9% 1.8% 2.9% 3.5% 1.2%	1,309 HETEROS CONTA Cases 14 6 41 396 43 29 70 41 54 19	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1% 27.0% 27.6% 21.0% 16.8% 14.6% 11.0%	OTHER RISK Cases 0 2 3 26 1 0 4	1.9% Row % 0.0% 1.6% 0.5% 0.6% 0.0% 1.2% 0.0% 0.3% 0.0%	116 NO REPO RISK [N Cases 3 2 20 273 15 12 22 19 21 11	6.8% RTED IRR] Row % 1.8% 1.6% 3.9% 5.6% 9.4% 11.4% 6.6% 7.8% 5.7% 6.4%	Total Hi by C Cases 167 126 516 4,875 159 105 333 244 371	100% ispanic/Latiountry of O Col % 1.5% 1.1% 4.7% 44.4% 1.0% 3.0% 2.2% 3.4% 1.6%	100 Mal prigin Row 1000 1000 1000 1000 1000 1000 1000 10
Country of Origin Argentina Brazil Colombia Cuba Cominican Republic Guatemala Honduras Mexico Nicaragua	MALE AIDS C. MALE-TO-M SEXUAL CC Cases 139 104 419 3,773 86 57 213 166 272 138 438	MALE DNTACT Row % 83.2% 82.5% 81.2% 54.1% 54.3% 64.0% 68.0% 73.3% 80.2% 49.5%	INJEC DRUG US Cases 4 7 15 212 8 5 18 11 10 2 216	14.6% TION E [IDU] Row % 2.4% 5.6% 2.9% 4.3% 5.0% 4.8% 5.4% 4.5% 2.7% 1.2% 24.4%	Cases 7 5 18 195 6 2 6 7 13 2 105	Row % 4.2% 4.0% 3.5% 4.0% 3.8% 1.9% 1.8% 2.9% 3.5% 1.2% 11.9%	1,309 HETEROS CONTA Cases 14 6 41 396 43 29 70 41 54 19 71	76.7% SEXUAL CT Row % 8.4% 4.8% 7.9% 8.1% 27.0% 27.6% 21.0% 16.8% 14.6% 11.0% 8.0%	OTHEF RISK Cases 0 2 3 26 1 0 4 0 1	1.9% Row % 0.0% 1.6% 0.5% 0.6% 0.0% 1.2% 0.0% 0.3% 0.0% 0.3%	116 NO REPO RISK [N Cases 3 2 20 273 15 12 22 19 21 11 51	6.8% RTED IRR] Row % 1.8% 1.6% 3.9% 5.6% 9.4% 11.4% 6.6% 7.8% 5.7% 6.4% 5.8%	Total Hi by C Cases 167 126 516 4,875 159 105 333 244 371 172 884	100% spanic/Latiountry of O Col % 1.5% 1.1% 4.7% 44.4% 1.0% 3.0% 2.2% 3.4% 1.6% 8.1%	100 100 100 100 100 100 100 100 100

(Continue next Page)

100%

100%

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 4.7

73.1%

63.3%

710

959

6.5%

7.6%

506

506

4.6%

4.0%

1,060

9.7%

2,369 18.7%

61 0.6%

94 0.7%

616

732

5.6%

5.8%

8,023

8,023

Total adult Hispanic/Latino Male

TOTAL ADULT HISPANIC/LATINO

12,683 100%

10,976

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS	CASES													
Exposure Category	MALE-TO-N	MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Ha	aitian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	NRR]	by Ger	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			56	3.6%			1,182	75.3%	26	1.7%	306	19.5%	1,570	100%
Haitian born Adult Males	552	22.3%	77	3.1%	28	1.1%	917	37.0%	12	0.5%	891	36.0%	2,477	100%
Total Haitian born	552	13.6%	133	3.3%	28	0.7%	2,099	51.9%	38	0.9%	1,197	29.6%	4,047	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

		DOC /	AIDS Case	s		
AIDS Cases by	Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	93	13.8%	93	13.3%
Black or African American	21	77.8%	479	71.1%	500	71.3%
White	4	14.8%	70	10.4%	74	10.6%
Haitian	1	3.7%	19	2.8%	20	2.9%
Other (1)	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	674	100%	701	100%

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

AIDS / 2016-09 8 of 23

SEPTEMBER 2016

Cumulative Number of Reported HIV (Not AIDS) Cases

HIV (not AIDS) cases by age gr	roup and g	ender (Ex	cluding De	partment	of Correct	ion - DOC	HIV (not A	IDS) Case	es by age g	group, race	e/ethnicity	& gender,	showing	Haitians s	eparated (L	Excluding	DOC)	
HIV Cases by	Female	е	Male		TOTAL	HIV	Hispanic/L	_atino	Black		White)	Haitia	n	Other (1)	TOTAL H	IIV
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	61	1.5%	46	0.4%	107	0.7%	13	8	46	34	1	0	1	2	0	2	61	46
5-12	34	0.8%	18	0.2%	52	0.3%	5	5	23	10	0	0	6	3	0	0	34	18
13-19	221	5.5%	321	2.7%	542	3.4%	44	135	163	163	6	9	7	11	1	3	221	321
20-29	974	24.1%	2,970	25.0%	3,944	24.7%	227	1,639	581	856	51	346	102	85	13	44	974	2,970
30-39	1,095	27.1%	3,718	31.2%	4,813	30.2%	267	2,147	555	732	74	641	189	155	10	43	1,095	3,718
40-49	929	23.0%	2,928	24.6%	3,857	24.2%	231	1,549	479	673	64	505	140	166	15	35	929	2,928
50-59	516	12.8%	1,322	11.1%	1,838	11.5%	139	559	249	414	21	231	101	102	6	16	516	1,322
60-64	97	2.4%	280	2.4%	377	2.4%	25	104	41	94	4	47	27	28	0	7	97	280
65-69	76	1.9%	169	1.4%	245	1.5%	24	74	35	58	4	23	12	14	1	0	76	169
>=70	38	0.9%	129	1.1%	167	1.0%	7	46	11	53	4	15	15	12	1	3	38	129
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	4,041	100%	11,901	100%	15,942	100%	982	6,266	2,183	3,087	229	1,817	600	578	47	153	4,041	11,901

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by	Femal	е	Male		TOTAL	HIV
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	121	36.9%	207	63.1%	328	2.1%
1998	266	30.8%	597	69.2%	863	5.4%
1999	252	30.8%	565	69.2%	817	5.1%
2000	225	30.3%	517	69.7%	742	4.7%
2001	236	30.3%	542	69.7%	778	4.9%
2002	284	30.4%	650	69.6%	934	5.9%
2003	232	28.2%	591	71.8%	823	5.2%
2004	220	27.1%	591	72.9%	811	5.1%
2005	219	31.1%	485	68.9%	704	4.4%
2006	177	27.8%	459	72.2%	636	4.0%
2007	217	26.6%	599	73.4%	816	5.1%
2008	225	25.0%	675	75.0%	900	5.6%
2009	175	24.2%	547	75.8%	722	4.5%
2010	165	22.7%	563	77.3%	728	4.6%
2011	176	22.1%	622	77.9%	798	5.0%
2012	156	22.2%	548	77.8%	704	4.4%

HIV Cases by	Femal	е	Male		TOTAL I	HIV
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2013	193	22.8%	652	77.2%	845	5.3%
2014	158	17.0%	773	83.0%	931	5.8%
2015	183	17.2%	880	82.8%	1,063	6.7%
2016	161	16.1%	838	83.9%	999	6.3%
Total HIV	4,041	25.3%	11,901	74.7%	15,942	100%

Cumulative Number of Reported HIV (Not AIDS) Cases

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

			Adult HIV						Pediati	ric HIV			TOTAL HIV CASES					
HIV by Race/	Female	е	Male		Total Ac	lult	Femal	е	Male		Total Ped	iatric	Total Fe	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	969	24.6%	6,258	52.9%	7,227	45.8%	18	18.9%	13	20.3%	31	19.5%	987	24.4%	6,271	52.7%	7,258	45.5%
American Indian/Alaska Native	3	0.1%	5	0.0%	8	0.1%	0	0.0%	0	0.0%	0	0.0%	3	0.1%	5	0.0%	8	0.1%
Asian	4	0.1%	32	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	32	0.3%	36	0.2%
Black or African American	2,700	68.4%	3,606	30.5%	6,306	40.0%	75	78.9%	50	78.1%	125	78.6%	2,775	68.7%	3,656	30.7%	6,431	40.3%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	229	5.8%	1,818	15.4%	2,047	13.0%	1	1.1%	0	0.0%	1	0.6%	230	5.7%	1,818	15.3%	2,048	12.8%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.6%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	39	1.0%	107	0.9%	146	0.9%	1	1.1%	0	0.0%	1	0.6%	40	1.0%	107	0.9%	147	0.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,946	100%	11,837	100%	15,783	100%	95	100%	64	100%	159	100%	4,041	100%	11,901	100%	15,942	100%

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult HIV			
	Femal	е	Male		Total Ad	ult
Exposure Category among adult HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]	0		8,290	70.0%	8,290	52.5%
Adult injection drug use [IDU]	281	7.1%	334	2.8%	615	3.9%
Adult MSM & IDU	0		262	2.2%	262	1.7%
Adult heterosexual contact [HTRSX]	3,137	79.5%	1,753	14.8%	4,890	31.0%
Adult other risk*	6	0.2%	4	0.0%	10	0.1%
Adult no risk factor reported [NRR]	522	13.2%	1,194	10.1%	1,716	10.9%
Total adult HIV	3,946	100%	11,837	100%	15,783	100%

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric I	HIV		
	Femal	е	Male		Total Pedi	iatric
Exposure Category among Pediatric HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	92	96.8%	63	98.4%	155	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.2%	1	1.6%	4	2.5%
Total Pediatric HIV	95	100%	64	100%	159	100%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

Cumulative Number of Reported HIV (Not AIDS) Cases

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/	MALE-TO-		INJECT DRUG US		MSM &	IDU	HETEROS CONTA	-	OTHER RISK		NO REPO		TOTAL A	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			69	24.6%			738	23.5%	2	33.3%	160	30.7%	969	24.6%
American Indian/Alaska Native			0	0.0%			3	0.1%	0	0.0%	0	0.0%	3	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			162	57.7%			2,212	70.5%	2	33.3%	324	62.1%	2,700	68.4%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			43	15.3%			153	4.9%	1	16.7%	32	6.1%	229	5.8%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			28	0.9%	1	16.7%	3	0.6%	39	1.0%
Adult Female HIV			281	100%			3,137	100%	6	100%	522	100%	3,946	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5,073	61.2%	101	30.2%	128	48.9%	497	28.4%	0	0.0%	459	38.4%	6,258	52.9%
American Indian/Alaska Native	4	0.0%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	5	0.0%
Asian	28	0.3%	0	0.0%	1	0.4%	1	0.1%	0	0.0%	2	0.2%	32	0.3%
Black or African American	1,555	18.8%	191	57.2%	77	29.4%	1,162	66.3%	2	50.0%	619	51.8%	3,606	30.5%
Native Hawaiian/Pacific Islander	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%
White	1,552	18.7%	39	11.7%	51	19.5%	68	3.9%	2	50.0%	106	8.9%	1,818	15.4%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	68	0.8%	3	0.9%	5	1.9%	24	1.4%	0	0.0%	7	0.6%	107	0.9%
Adult Male HIV	8,290	100%	334	100%	262	100%	1,753	100%	4	100%	1,194	100%	11,837	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	8,290	52.5%	615	3.9%	262	1.7%	4,890	31.0%	10	0.1%	1,716	10.9%	15,783	100%

SEPTEMBER 2016

Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASE	ES											
Exposure Category/	PERINA	PERINATAL		LIAC	TRANSFL	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	16	17.4%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	18.9%
Black or African American	74	80.4%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	75	78.9%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Pediatric Female HIV	92	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	95	100%

Exposure Category/	PERINA	ΓAL	HEMOPH	ILIAC	TRANSFU	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	20.3%
Black or African American	49	77.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	50	78.1%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.6%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Pediatric Male HIV	63	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100%	64	100%

0.0%

0 0.0%

2.5%

159

100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

155 97.5%

TOTAL PEDIATRIC HIV

Country	ADUL	T FEMAL	E HIV	ADU	JLT MALE	HIV	TOTAL HIS	PANIC/LATI	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.2%	12.4%	149	2.4%	87.6%	170	2.4%	100%
Brazil	15	1.5%	10.1%	134	2.1%	89.9%	149	2.1%	100%
Colombia	38	3.9%	11.3%	297	4.7%	88.7%	335	4.6%	100%
Cuba	178	18.4%	8.0%	2,050	32.8%	92.0%	2,228	30.8%	100%
Dominican Republic	35	3.6%	28.7%	87	1.4%	71.3%	122	1.7%	100%
Honduras	68	7.0%	29.8%	160	2.6%	70.2%	228	3.2%	100%
Mexico	8	0.8%	5.1%	149	2.4%	94.9%	157	2.2%	100%
Nicaragua	35	3.6%	19.4%	145	2.3%	80.6%	180	2.5%	100%
Peru	14	1.4%	13.3%	91	1.5%	86.7%	105	1.5%	100%
Puerto Rico	61	6.3%	19.4%	253	4.0%	80.6%	314	4.3%	100%
United States	244	25.2%	16.0%	1,282	20.5%	84.0%	1,526	21.1%	100%
Venezuela	25	2.6%	5.9%	398	6.4%	94.1%	423	5.9%	100%
Other/Unknown Countries	227	23.4%	17.6%	1,063	17.0%	82.4%	1,290	17.8%	100%
Total Adult Hispanic/Latino HIV	969	100%	13.4%	6,258	100%	86.6%	7,227	100%	100%

0.0%

SEPTEMBER 2016

Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO-	-MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	₹ *	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	NRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.2%	100%
Brazil			0	0.0%			12	80.0%	0	0.0%	3	20.0%	15	1.5%	100%
Colombia			2	5.3%			31	81.6%	0	0.0%	5	13.2%	38	3.9%	100%
Cuba			9	5.1%			145	81.5%	0	0.0%	24	13.5%	178	18.4%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.6%	100%
Honduras			1	1.5%			60	88.2%	0	0.0%	7	10.3%	68	7.0%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.6%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.4%	100%
Puerto Rico			10	16.4%			40	65.6%	0	0.0%	11	18.0%	61	6.3%	100%
United States			32	13.1%			179	73.4%	2	0.8%	31	12.7%	244	25.2%	100%
Venezuela			1	4.0%			22	88.0%	0	0.0%	2	8.0%	25	2.6%	100%
Other/Unknown Countries			7	3.1%			158	69.6%	0	0.0%	62	27.3%	227	23.4%	100%
Total adult Hispanic/Latino Female			69	7.1%			738	76.2%	2	0.2%	160	16.5%	969	100%	100%
ADULT HISPANIC/LATINO MA	LE HIV CA	SES													
	MALE-TO-	-MALE	INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	₹*	NO REPO	RTED	Total Hi	spanic/Lati	no Male
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	NRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	131	87.9%	2	1.3%	2	1.3%	9	6.0%	0	0.0%	5	3.4%	149	2.4%	100%
Brazil	124	92.5%	0	0.0%	2	1.5%	4	3.0%	0	0.0%	4	3.0%	134	2.1%	100%
Colombia	255	85.9%	1	0.3%	10	3.4%	17	5.7%	0	0.0%	14	4.7%	297	4.7%	100%
Cuba	1,721	84.0%	22	1.1%	40	2.0%	175	8.5%	0	0.0%	92	4.5%	2,050	32.8%	100%
Dominican Republic	57	65.5%	3	3.4%	3	3.4%	16	18.4%	0	0.0%	8	9.2%	87	1.4%	100%
Honduras	112	70.0%	1	0.6%	3	1.9%	29	18.1%	0	0.0%	15	9.4%	160	2.6%	100%
Mexico	125	83.9%	2	1.3%	1	0.7%	12	8.1%	0	0.0%	9	6.0%	149	2.4%	100%
Nicaragua	113	77.9%	2	1.4%	2	1.4%	16	11.0%	0	0.0%	12	8.3%	145	2.3%	100%
-	82	90.1%	1	1.1%	1	1.1%	6	6.6%	0	0.0%	1	1.1%	91	1.5%	100%
Peru		73.1%	29	11.5%	18	7.1%	10	4.0%	0	0.0%	11	4.3%	253	4.0%	100%
	185				32	2.5%	99	7.7%	0	0.0%	79	6.2%	1,282	20.5%	100%
	185 1,046		26	2.0%	32	2.070									
Puerto Rico United States Venezuela			26 0	2.0% 0.0%	2	0.5%	16	4.0%	0	0.0%	18	4.5%	398	6.4%	100%
Puerto Rico United States Venezuela Other/Unknown Countries	1,046 362 760	81.6% 91.0% 71.5%	0 12	0.0% 1.1%	2 12	0.5% 1.1%	88	8.3%	0	0.0%	191	18.0%	1,063	17.0%	100%
Puerto Rico United States Venezuela	1,046 362	81.6% 91.0%	0	0.0%	2	0.5%			0			18.0%			
Puerto Rico United States Venezuela Other/Unknown Countries	1,046 362 760	81.6% 91.0% 71.5%	0 12	0.0% 1.1%	2 12	0.5% 1.1%	88	8.3%	0 0 Cases	0.0%	191	18.0%	1,063	17.0%	100%

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

Cumulative Number of Reported HIV (Not AIDS) Cases

ADULT HAITIAN BORN HIV CA	ADULT HAITIAN BORN HIV CASES													
Exposure Category	INJEC	TION	[MSM\ &	[IDU]	HETEROS	SEXUAL	OTHER	? *	NO REPO	RTED	Total Hai	tian		
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	RISK [NRR]		ender
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			11	1.9%			519	87.5%	0	0.0%	63	10.6%	593	100%
Haitian born Adult Males	116	20.2%	7	1.2%	1	0.2%	315	55.0%	0	0.0%	134	23.4%	573	100%
Total Haitian born	116	9.9%	18	1.5%	1	0.1%	834	71.5%	0	0.0%	197	16.9%	1,166	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

		DOC HIV Cases										
HIV Cases by	Femal	е	Male	•	Total							
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %						
Hispanic/Latino (All Races)	5	29.4%	76	17.6%	81	18.0%						
Black or African American	8	47.1%	275	63.5%	283	62.9%						
White	4	23.5%	62	14.3%	66	14.7%						
Haitian	0	0.0%	13	3.0%	13	2.9%						
Other (1)	0	0.0%	7	1.6%	7	1.6%						
Total HIV	17	100%	433	100%	450	100%						

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

HIV / 2016-09 14 of 23

Perinatal HIV Exposed Cases

SEPTEMBER 2016

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20 th , 2006. (1)

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	11	2	1	82	0	96
2014	4	1	0	84	0	89
2015	15	5	0	77	0	97
2016	23	0	0	35	0	58
Total	219	17	2	856	0	1,094

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. (1)

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	74	3	2	96
2014	15	70	4	0	89
2015	18	77	2	0	97
2016	6	49	3	0	58
Total	199	842	43	10	1,094

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. (1)

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	80	11	1	1	1	3	97
2016	39	13	3	1	1	1	58
Total	818	215	36	10	7	8	1,094

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. (1)

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	153	45	13	4	3	1	219
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	651	169	20	6	3	7	856
Unknown	0	0	0	0	0	0	-
Total	818	215	36	10	7	8	1,094

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th , 2006. (1)

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	219	0	0	0	219
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	615	241	0	856
Unknown	0	0	0	0	0	0	-
Total	19	0	219	615	241	0	1,094

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.

Perinatal HIV/AIDS	Pediatric	HIV	Pediat	ric AIDS		TOTAL	
Cases by Year of Birth	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Total Confirmed Perinatal Cases	40	71%	16	29%	56	100%	100%

(Continue next Page)

PERINATAL EXPOSED / 2016-09

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. (1)

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	4	0	7	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	2	0	11	1.0%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	9	3	0	18	0	30	2.7%
JACKSON SOUTH MEDICAL CTR.	3	0	0	15	0	18	1.6%
JACKSON MEMORIAL HOSPITAL	148	7	0	755	0	910	83.2%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	11	0	0	9	0	20	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	13	2	0	32	0	47	4.3%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.6%
TOTAL	219	17	2	856	0	1,094	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE**

LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING CASES by DIAGNOSIS								
	AIDS HIV (Not AIDS) Total P								
GENDER	Cases	Col %	Cases	Col %	Cases	Col %			
Female	3,781	29%	3,344	26%	7,125	27%			
Male	9,478	71%	9,738	74%	19,216	73%			
Total Prevalence	13,259	100%	13,082	100%	26,341	100%			

* Living Cases Including DOC			
AIDS	13,639		
HIV	13,427		
Total	27,066		

		* LIVING CASES by DIAGNOSIS					* LIVING	CASES by G	ENDER				
	AID	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
RACE/ETHNICITY	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	
Hispanic (All Races)	5,469	41%	6,114	47%	11,583	44%	1,672	23%	9,911	52%	11,583	44%	
Not Hispanic, Black	6,261	47%	5,195	40%	11,456	43%	5,024	71%	6,432	33%	11,456	43%	
Not Hispanic, White	1,317	10%	1,620	12%	2,937	11%	331	5%	2,606	14%	2,937	11%	
Not Hispanic, Other	212	2%	153	1%	365	1%	98	1%	267	1%	365	1%	
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%	

	* LIVING CASES by DIAGNOSIS					* LIVING CASES by GENDER						
	AID	AIDS HIV (Not AIDS) To		Total Prev	otal Prevalence FEMA		MALE M		LE	Total Prevalence		
CURRENT AGE	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-01 years	-	0%	5	0%	5	0%	4	0%	1	0%	5	0%
02-12 years	5	0%	19	0%	24	0%	8	0%	16	0%	24	0%
13-24 years	205	2%	606	5%	811	3%	243	3%	568	3%	811	3%
25-44 years	2,991	23%	5,431	42%	8,422	32%	2,326	33%	6,096	32%	8,422	32%
45-64 years	8,524	64%	6,128	47%	14,652	56%	3,876	54%	10,776	56%	14,652	56%
65+ years	1,534	12%	893	7%	2,427	9%	668	9%	1,759	9%	2,427	9%
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY **HIV/AIDS SURVEILLANCE** LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016.

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING	* LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENDE						
	AID	S	HIV (Not	AIDS)	Total Prev			
EXPOSURE CATEGORY (1)	Cases	Col %	Cases	Col %	Cases	Col %		
MALE						% of Male	% of Total	
Male-to-male sexual contact [MSM]	6,282	66%	7,543	77%	13,825	72%	52%	
Injection drug use [IDU]	605	6%	283	3%	888	5%	3%	
MSM & IDU	434	5%	252	3%	686	4%	3%	
Heterosexual contact	2,038	22%	1,598	16%	3,636	19%	14%	
Other risk	119	1%	62	1%	181	1%	1%	
Total Male Prevalence	9,478	100%	9,738	100%	19,216	100%		
FEMALE					%	of Female		
Injection drug use [IDU]	487	13%	233	7%	720	10%	3%	
Heterosexual contact	3,169	84%	3,026	90%	6,195	87%	24%	
Other risk	125	3%	85	3%	210	3%	1%	
Total Female Prevalence	3,781	100%	3,344	100%	7,125	100%	100%	

	AID	S	HIV (Not	AIDS)	Total Prevalence		
	Cases	Row %	Cases	Row %	Cases	Total %	
TOTAL PREVALENCE	13,259	50%	13,082	50%	26,341	100%	

⁽¹⁾ No identified risk redistributed

Source: Florida Department of Health, Bureau of Communicable Diseases HIV/AIDS Section.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

* ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
One in 63 White adult male in Miami-Dade is living with HIV or AIDS	One in 171 White adult male
One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	 One in 38 Black adult male
 One in 73 Hispanic adult male in Miami-Dade is living with HIV or AIDS 	 One in 97 Hispanic adult male
One in 91 other race adult male in Miami-Dade is living with HIV or AIDS	 One in 199 Other adult male
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 102 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS					
MIAMI-DADE	FLORIDA				
One in 472 White adult female in Miami-Dade is living with HIV or AIDS	 One in 1,048 White adult fema 				
One in 38 Black adult female in Miami-Dade is living with HIV or AIDS	 One in 61 Black adult female 				
 One in 474 Hispanic adult female in Miami-Dade is living with HIV or AIDS 	 One in 424 Hispanic adult fem: 				
 One in 272 other race adult female in Miami-Dade is living with HIV or AID 	 One in 582 Other adult female 				
One in 164 adult female in Miami-Dade is living with HIV or AIDS	One in 277 adult female in Florida				

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
One in 109 White adult in Miami-Dade is living with HIV or AIDS	 One in 299 White adult 			
One in 31 Black adult in Miami-Dade is living with HIV or AIDS	 One in 48 Black adult 			
 One in 131 Hispanic adult in Miami-Dade is living with HIV or AIDS 	 One in 160 Hispanic adult 			
One in 140 other race adult in Miami-Dade is living with HIV or AIDS	 One in 307 Other adult race 			
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 152 adult Floridian			

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

^{*} Living data now reflects those living on our area regardless of where diagnosed.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

* ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
One in 76 White male in Miami-Dade is living with HIV or AIDS	One in 193 White male			
One in 33 Black male in Miami-Dade is living with HIV or AIDS	One in 49 Black male			
One in 86 Hispanic male in Miami-Dade is living with HIV or AIDS	 One in 120 Hispanic male 			
One in 112 other race male in Miami-Dade is living with HIV or AIDS	One in 261 Other male			
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida			

TOTAL FEMALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
One in 564 White female in Miami-Dade is living with HIV or AIDS	 One in 1,173 White female 			
 One in 46 Black female in Miami-Dade is living with HIV or AIDS 	 One in 75 Black female 			
 One in 547 Hispanic female in Miami-Dade is living with HIV or AIDS 	 One in 517 Hispanic female 			
One in 325 other race female in Miami-Dade is living with HIV or AIDS	 One in 735 Other female 			
One in 191 female in Miami-Dade is living with HIV or AIDS	One in 322 female in Florida			

TOTAL ALL SEXES LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
One in 131 White in Miami-Dade is living with HIV or AIDS	One in 336 White			
One in 38 Black in Miami-Dade is living with HIV or AIDS	One in 60 Black			
 One in 152 Hispanic in Miami-Dade is living with HIV or AIDS 	 One in 196 Hispanic 			
One in 169 other race in Miami-Dade is living with HIV or AIDS	 One in 395 Other race 			
One in 101 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian			

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

You cannot compare this year's data with previous year's since they were run separately

^{*} Living data now reflects those living on our area regardless of where diagnosed.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBS	SITE LINKS
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int

WEBSITES 23 of 23